




AUTO PARTS CATALOG

Hebei Century Auto Parts Co.,Ltd.
Phone: +86 15633632668
E-Mail: Centuryautoaccessory@gmail.com
Website: www.autopartscentury.com
Address: No.161, Qiantang village,
Yanshan county, Cangzhou city, Hebei province, China.



HEBEI CENTURY AUTO PARTS CO.,LTD.





CENTURY

CONTENTS	01 - 02
COMPANY PROFILE	03 - 04
TIRE VALVE	
MOTORCYCLE&SCOOTER&BICYCLE VALVES	05 - 06
PASSENGER CAR&LIGHT TRUCK VALVES	07 - 09
TRUCK AND BUS VALVES	10 - 18
AGRICULTURAL MACHINERY TRACTORS VALVES	19 - 21
OFF-THE-ROAD VALVES	22 - 23
TPMS	24 - 26
WHEEL BALANCING WEIGHTS	
FE WEIGHTS	27 - 29
ZINC WEIGHTS	- 30
LEAD WEIGHTS	31 - 34
TIRE SEAL STRING &TIRE PATCH	35 - 38
TIRE REPAIR TOOLS	39 - 51



Hebei Century Auto Parts Co.,Ltd. was found in 2010, located in Cangzhou city, where is closed to Tianjin and Beijing. We are a professional and experienced manufacture and supplier in the production and sale of tire repair products. Our business cover plates of tire valve, wheel weight, tire seal string, tire patch, repair tools etc, which contain more than 2000 different products. We focus on offering one-stop service for worldwide partners in auto parts industry.


Currently Century has developed to more than 100 employees and has a plant of 2000 square meters. Our commodities have widely been exported to Italy, Australia, North America, Brazil, Turkey, Philippine, Vietnam, Cambodia, Malaysia, Nigeria, UAE, Saudi Arabia, Iraq, UZ etc more than 50 countries. During all these years, the efforts, the continuous pursuit to improvement and the attention on the customer have made us outstanding of quality and reliability in the field of auto parts.

Our mission is to keep hundreds of thousands of drivers safe on road and make it a century-age enterprise by high quality, competitive price and fast&convenient after-sale service. We warmly welcome all the business partners from all over the world to visit our factory for business communication to achieve win-win development.



MOTORCYCLE&SCOOTER & BICYCLE VALVES

TUBELESS VALVES FOR MOTORCYCLE AND SCOOTER



CTR NO.	REF.LENGTH (mm)	RIM.HOLE (mm/In.)	PARTS			
			GROMMET	WASHER	NUT	CAP
VAMD161	Φ16x34.5	Φ11.5/.453"	HG2	RW12	NH2	GT
JS-430	Φ14x37	Φ11.5/.453"	RG59	RW12	NH2	CT
TR-430A	Φ14x33	Φ11.5/.453"	RG59	RW12	NH2	CT
PVR-30	Φ15x63x90°	Φ11.5/.453"	HRG2/HG2	-	NH2	VC8
PVR-70	20x32x90°	Φ11.5/.453"	-	-	-	VC8
PVR-32	Φ16x54x90°	Φ11.5/.453"	-	-	SNM5	VC8
PVR-50	-	Φ8.8/.346"	-	-	-	VC8
PVR-60	-	Φ11.5/.453"	-	-	-	VC8

TUBELESS METAL CLAMP-IN VALVES



CTR NO.	REF.NO.	EFF.LENGTH (mm)	RIM HOLE (mm/In.)	PARTS			
				GROMMET	WASHER	NUT	CAP
TR416SS	-	Φ14x38	Φ11.5/.453"	V801	RW8	RW8	FT
TR416SSS	-	Φ14x39	Φ8.3/.327"	RG11	RW6	RW8	FT

MOTORCYCLE&SCOOTER & BICYCLE VALVES

MOTORCYCLE ALUMINUM ALLOY VALVES



CTR NO.	REF.NO.	EFF.LENGTH	RIM HOLE
TV25AL	V2.07.1	Φ15x25/84°	8.3mm/11.3mm
TR416SS	-	Φ14x38	Φ11.5/.453"
TV435	-	Φ17.5x36	Φ11.5/.453"
V5	TR48E	Φ14x48	Φ11.5/.453"



PASSENGER CAR&LIGHT TRUCK VALVES

Snap-in Tubeless Rubber Valves



CTR NO.	REF.NO.	RIM HOLE	EFF LENGTH (mm)	CORE	CAP	A	B	C
TR412	V2.03.6	11.5(.453" dia)	22	9002#	VC8	33	22	15
TR413	V2.03.1	11.5(.453" dia)	30			42.5	32	15
TR414	V2.03.2	11.5(.453" dia)	38			48.5	38	15
TR414L	V2.03.8	11.5(.453" dia)	45			56.5	46	15
TR418	V2.03.4	11.5(.453" dia)	49			61.5	51	15
TR423		11.5(.453" dia)	62			74	63.5	15
TR415	V2.03.3	16(.625" dia)	30			42.5	32	19.2
TR425		16(.625Hdia)	49			61.5	51	19.2
TR438	V2.03.5	8.8(.346" dia)	32			40.5	31	11



PASSENGER CAR&LIGHT TRUCK VALVES

High Pressure Snap-in Tubeless Rubber Valves



CTR NO.	A	B	C	Rim Size
TR600HP	42.8	31	12.4	Φ11.3
TR602HP	61.3	50	12.4	
TR801HP	49	33.5	17	Φ15.7
TR802HP	66	50.5	17	

Tubeless Metal Clamp-in Valves



CTR NO.	REF.NO	EFF.LENGTH (mm)	RIM HOLE (mm/In.)	PARTS			
				GROMMET	WASHER	NUT	CAP
MS525S	-	Φ17.5x41.5	Φ11.5/.453"	RG9,RG54	RW15	HN6	FT
MS525L	-	Φ17.5x41.5	Φ11.5/.453"	RG9,RG54	RW15	HN7	FT
MS525AL	-	Φ17.5x42	Φ11.5/.453"	RG9,RG54	RW15	HN9	FT
VS-8-45°	WH303 PVR75A	Φ16x53-45°	Φ11.5/.453"	HRG1,HG2	RW12	HN2x2	ET/BT
VS-8-90°	-	Φ16x63-90°	Φ11.5/.453"	HRG1,HG2	RW12	HN2x2	ET/BT
PVR153	-	Φ17xL-90°	Φ11.5/.453"	HRG39,HG2	RW1-2	WVC5	ET/BT
TR417	-	-	Φ11.5/.453"	RG54	-	HN4	VC-8

PASSENGER CAR&LIGHT TRUCK VALVES

Tubeless Metal Clamp-in Valves



CTR NO.	REF.NO.	EFF.LENGTH (mm)	RIM HOLE (mm/in.)	PARTS			
				GROMMET	WASHER	NUT	CAP
TR5991B	WH402	Φ19x34	Φ11.5/.453" Φ16/.625"	RG39 RG54	RW8	HN4	AT
TR416	-	Φ18.5x40	Φ16/.625"	RG39	RW13	HN4	AT
TR416B	-	Φ17x38	Φ11.5/.453" Φ16/.625"	RG39 RG54	RW8	HN4	AT
TR416L	-	Φ16.7/59	Φ11.5/.453"	RG59	RW8	HN4	AT
V-3	TR33E.WH23A	Φ14x33	Φ11.5/.453"	HRG2x2	RW5	HN2x2	ET
V-4	TR43E WH206	Φ14x43	Φ11.5/.453"	HRG2x2	RW5	HN2x2	ET
V-5	TR48E	Φ14x48	Φ11.5/.453"	HRG2x2	RW5	HN2x2	ET
VS-6	TR53E.WH204	Φ14x53	Φ11.5/.453"	HRG2x2	RW5	HN2x2	ET
TR416S	-	Φ17x40	Φ11.5/.453"	RG54	RW8	HN4	AT
V-7	TR63E	Φ14x63	Φ11.5/.453"	HRG2x2	RW5	HN2x2	ET
V-8	TR26A	Φ16x34	Φ11.5/.453"	HRG1,HG2	RW12	HN2x2	ET
VS-8	TR26G, PVR43A	Φ16x38	Φ11.5/.453"	HRG1,HG2	RW12	HN2x2	ET
VS-9	JS43E	Φ16x43	Φ11.5/.453"	HRG1,HG2	RW12	HN2x2	ET
TR-435	-	Φ19x34	Φ11.5/.453"	RG54	RW8	HN4	ET

TRUCK&BUS VALVE

V3.20 Series




CTR NO.	REF.NO.	PARTS			
		CORE	GROMMET	NUT	CAP
V3.20.1	Φ16x41	9002#	V9.11.5 (RG60)	V9.07.2	DT
V3.20.2	Φ16x95/17.50				
V3.20.3	Φ16x82				
V3.20.4	Φ16x90/27°				
V3.20.5	Φ16x70/27°				
V3.20.6	Φ16x115/27°				
V3.20.7	Φ16x80/27°				
V3.20.8	Φ16x119/12°				
V3.20.9	Φ16x102/12°				
V3.20.10	Φ16x80/28°				
V3.20.11	Φ16x100/27°/42°				
V3.20.12	Φ16x100/27°				
58MS(v3.22.1)	Φ16x58/45°				

TR57 Series




CTR NO.	REF.NO.	EFF.LENGTH (mm)	PARTS				
			CORE	GROMMET	WASHER	NUT	CAP
TR500	V3.21.3	Φ19x55	9002#	RG15	RW8	HN13	DT
TR501	V3.21.2	Φ19x42					
TR570	V3.21.4	Φ19x84					
TR571	V3.21.5	Φ19x90					
TR572	V3.21.6	Φ19x100					
TR573	V3.21.7	Φ19x115					
TR574	V3.21.8	Φ19x131					
TR575	V3.21.1	Φ19x33					
TR570C	V3.21.9	Φ19x84/90°or27°					
TR571C	V3.21.10	Φ19x90/90°or27°					
TR572C	V3.21.11	Φ19x100/90°or27°					
TR573C	V3.21.12	Φ19x115/90°or27°					
TR574C		Φ19x131/90°or27°					
TR500-35°	VS-1223R	Φ19x55/35°		RG7	RG11	HN1	
TR570P		Φ12x18					

Aluminum Bus Valves



CTR NO.	REF.NO.	EFF.LENGTH (mm)	A(mm)	B(mm)	α	GROMMET	NUT
60MS-27	-	Φ16x5x60	40.5	19.5	27°	HRG70	HN22
70MS-7	-	Φ16x5x70	40.5	29.5	7°	HRG70	HN22

Tubeless Metal Clamp-in Valves For Truck And Bus




CTR NO.	A	B	PARTS			
			CORE	GROMMET	NUT	CAP
TR509	26	120.5	9002#	RG46	HN17	DT
TR510	26	140				
TR511	26	108				

Rubber Based Tube Valves For Truck And Bus



CTR NO.	D(mm)	L1(mm)	L2(mm)	α°
TR-175A	82/95	32	76	86
TR-176A	82/95	32	86	86
TR-177A	82/95	32	95	86
TR-178A	82/95	32	105	86
TR-179A	82/95	32	115	86
TR-75A	82/95	32	127	86
TR-77A	82/95	32	141	86

European Style Clamp-in Valves



CTR NO.	PARTS				A	B	C	D	E	W°	H
	CORE	GROMMET	NUT	CAP							
V3.12.1	9002#	9.11.4	V9.13.1	FT	40	-	-	-	-	-	-
V3.12.2	9002#	9.11.4	V9.13.1	FT	95	-	-	-	-	-	-
V3.13.1	9002#	9.11.4	V9.13.1	FT	42.5	-	-	46.5	-	153	-
V3.13.2	9002#	9.11.4	V9.13.1	FT	79	-	-	30	-	126	-
V3.14.1	9002#	9.11.4	V9.13.1	FT	25	21.5	24.5	-	-	-	21
V3.14.2	9002#	9.11.4	V9.13.1	FT	45	21.5	24.5	-	-	-	21
V3.14.3	9002#	9.11.4	V9.13.1	FT	37	21.5	24.5	-	-	-	21
V3.15.1	9002#	9.11.2	V9.13.1	FT	14	22.5	-	-	-	110	-
V3.15.2	9002#	9.11.2	V9.13.1	FT	11	15.5	-	-	-	95	-
V3.16.1	9002#	9.11.4	V9.13.1	FT	36	29	-	-	-	150	-
V3.17.1	9002#	9.11.2	V9.13.1	FT	99	31.5	-	-	-	172	-
V3.17.2	9002#	9.11.2	V9.13.1	FT	116	31.5	-	-	-	172	-
V3.18.1	9002#	9.11.2	V9.13.1	FT	64	24.5	-	14.5	-	146	-
V3.18.2	9002#	9.11.2	V9.13.1	FT	81	24.5	-	14.5	-	146	-
V3.18.4	9002#	V9.11.2	V9.13.1	FT	51	37.5	-	19.5	-	138	-
V3.18.5	9002#	V3.19.2	V3.19.1	FT	68	37.5	-	19.5	-	138	-
V3.19.1	9002#	-	V9.13.1	FT	-	92	-	24.5	14.5	147°	147°
V3.19.2	9002#	-	V3.19.2	FT	-	V3.19.2	-	V3.19.2	V3.19.2	V3.19.2	V3.19.2
V3.19.3	9002#	-	V3.19.3	FT	-	V3.19.3	-	V3.19.3	V3.19.3	V3.19.3	V3.19.3

Tubeless Nickel Plated O-Ring Seal Clamp-in Valves



CTR NO.	GROMMET				A	B	α
	CORE	GROMMET	NUT	CAP			
TR542	9002#	RG60	HN21	VC2 or VC3	32	-	-
TR543					59	-	-
TR544					73	-	-
TR545					98	-	-
TR546					108	-	-
TR543C					24	35	45
TR543D					25	35	60
TR543E					25	35	75
TR544D					25	49	60
TR544E					25	49	75
TR545B					25	55.8	26
TR545-36					25	66	36
TR545D					25	66	60
TR545E					25	66	75
TR546B					25	85	26
TR546-36					25	85	36
TR546D					25	85	60
TR546E					25	85	75
TR547D					25	96	60



TR550 Series
NICKEL PLATED BRASS VALVES WITH GROMMET



CTR NO.	A	B	C	α°	Rim Size	Cap	Valve Core	Hex Nut	Grommet
TR552	32	-	-	-	Ø9.7-10	DT	9002#	HN22	HRG70
TR553	58.5	-	-	-					
TR553C	58.5	35	23.6	45					
TR553D	58.5	35	25	60					
TR553E	58.5	35	25	75					
TR554	72.5	-	-	-					
TR554C	72.5	49	25	45					
TR554D	72.5	49	25	60					
TR555	89	-	-	-					
TR555D	89	66	25	60					
TR555E	89	66	25	75					
TR556	108.5	-	-	-					
TR556-36	108.5	85	25	36					
TR556D	108.5	85	25	60					
TR556E	108.5	85	25	75					
TR556G	108.5	85	25	105					
TR557	119.5	-	-	-					
TR557D	119.5	96	25	60					

TRUCK&BUS VALVE

Screw-on Universal Valves




CTR NO.	A	B	C	α°	β°
V3.02.1	25.5	41.5	-	120	-
V3.02.2	22.5	43	-	120	-
V3.02.3	33	44.5	-	95	-
V3.02.4	39.5	44.5	-	110	-
V3.02.5	20.5	47.5	-	90	-
V3.02.6	23.5	60.5	-	110	-
V3.02.7	22.5	71.5	-	100	-
V3.02.8	20.5	89.5	-	94	-
V3.02.9	20.5	99.5	-	94	-
V3.02.10	20.5	115	-	94	-
V3.02.11	20	126	-	94	-
V3.02.12	20.5	132	-	94	-
V3.02.13	20.5	133.5	-	90	-
V3.02.14	20.5	138.5	-	94	-
V3.02.15	20.5	145.5	-	94	-
V3.02.16	20.5	149.5	-	90	-
V3.02.17	20.5	156.5	-	90	-
V3.02.18	20.5	74.5	-	90	-
V3.02.19	20.5	60	-	94	-
V3.02.20	22.5	56.5	-	95	-
V3.02.21	20.5	172	-	90	-
V3.02.22	32.5	117.5	-	94	-
V3.02.23	29.5	66.5	-	90	-
V3.02.24	20.5	117	-	90	-
V3.02.25	27	160	-	88	-
V3.02.26	20.5	105	-	94	-
V3.02.27	20	75	-	94	-
V3.02.28	20	127	-	94	-

CTR NO.	A	B	C	α°	β°
V3.04.1	20.5	32	37	90	138
V3.04.2	20.5	38	41.5	90	153
V3.04.3	20	59	38.5	94	163
V3.04.4	20	74	40	94	144
V3.04.5	20	76	47.5	90	153
V3.04.6	20	86	47.5	90	153
V3.04.7	20.5	30.5	38	90	154
V3.04.8	20.5	38.5	43	90	167
V3.04.9	20.5	45	47	90	194
V3.04.10	20.5	47	53	90	154
V3.04.11	20.5	47	63.5	90	154
V3.04.12	20.5	60.5	60.5	90	159
V3.04.13	20.5	60.5	67	90	159
V3.04.14	20.5	83.5	65	90	159
V3.04.15	20.5	42	38.5	90	120
V3.04.16	20	38	50	90	160
V3.04.17	20	65	45	90	160
V3.04.18	20	72	45	90	160
V3.04.19	20	80	45	90	160
V3.04.20	20	68	47	94	164
V3.04.21	20	83	57	94	154
V3.04.22	20	28	47	94	164
V3.04.23	20	48	57	94	164
V3.04.24	20	58	47	94	164
V3.04.25	20	80	47	94	164
V3.04.26	20	99	42	99	189

TRUCK&BUS VALVE

Screw-on Universal Valves



CTR NO.	A	B	C	D	H	α°	β°	γ°
V3.06.1	20.5	30.5	19.5	35.5	17	90	139	139
V3.06.2	20.5	44.5	12	37.5	17	90	125	125
V3.06.3	20.5	46	20.5	47.5	17	90	140	140
V3.06.4	32.5	45.4	20.5	47.5	17	90	140	140
V3.06.5	20.5	62.5	19.5	49	17	90	139	139
V3.06.6	20	79.5	19.5	37.5	17	90	139	139
V3.06.7	20.5	45.5	18.5	42.5	17	90	137	137
V3.06.8	24.5	61.5	14.5	50.5	7.5	94	153	153
V3.06.9	20.5	67.5	19.5	54.5	17	90	139	139
V3.06.10	23.5	91.5	29.5	45.5	13.5	90	155	155
V3.06.12	23.5	71.5	19.5	25.5	11.5	90	150	150
V3.06.13	20	40	13	40	7	94	153	153
V3.06.14	20	50	13	40	7	94	153	153
V3.06.15	20	60	13	40	7	94	153	153
V3.06.16	20	62	13	50	7	94	153	153
V3.06.17	20	75	13	50	7	94	153	153

Air-Liquid Valves For Agricultural Tractors



TR618

TR618A

TRCH1

TRCH3

CTR NO.	REF.NO.	EFF.LENGTH (mm)	CORE HOUSING		PARTS				
			CORE	O.RING	CORE	GROMMET	NUT	CAP	
TR CH3	V4.02.1	Φ11x36	9002#	HRG33(V9.11.6)	-	-	-	-	DT
TRCH1	-	Φ11x36		-	-	-	-	-	
TR 618A	V5.01.1	Φ22.5x30/510	TRCH3		RW11	RG7	HN1		
TR618	-	Φ22.5x56			-	-	-		




TR623A

TR621A

TR622A

CTR NO.	REF.NO.	A	B	α°	CORE O.RING	GROMMET	GROMMET	NUT	CAP
TR 621A	V5.02.1	42.5	55	65	TRCH3	RG7	RW32	HN3	DT
TR622A	V5.02.2	47.5	94	90			RW31		
TR 623A	V5.02.3	42.5	36	65			RW31		

Large Bore Tubeless Valves



CTR NO.	D	L	WASHER	NUT	CAP
SP4	18	34	RW18	HN2.HN13	VC8
SP5	23	42.5	RW23	HN4.HN19	DT
SP6	31	38	RW32	HN13.HN17	DT
SP7	31	28	RW31	HN4x2	DT

Large Bore Swivel Tyre Valves



TRJ4000

CTR NO.	HORIZ.LENGTH		O-RING	NUTS	CORE	CAP
TRJ4000-2.50	21/2"	64MM	V9-11-3	HN1	7002#	VC6 OR VC7
TRJ4000-4	4"	102MM				
TRJ4000-4.50	41/2"	114MM				
TRJ4000-6	6"	152MM				
TRJ4000-7.50	71/2"	191MM				
TRJ4000-8	8"	203MM				
TRJ4000-8.50	81/2"	216MM				
TRJ4000-9	9"	229MM				
TRJ4000-10	10"	254MM				
TRJ4000-20	20"	508MM				
TRJ4000-24	24"	610MM				
TRJ4000-25.50	251/2"	648MM				
TRJ4000-28	28"	711MM				
TRJ4000-29.50	291/2"	749MM				

Large Bore Swivel Type Valves



CTR NO.	STEM NO.	REF.NO.	A	B	α°
TRJ650-03	TRJ650-02	V5.04.1	27	79	80
TRJ651-03	TRJ651-02	V5.04.2	32	119	90
TRJ652-03	TRJ652-02	-	27	140	86
TRJ653-03	TRJ653-02	-	27	64	80
TRJ654-03	TRJ654-02	-	27	79	60
TRJ655-03	TRJ655-02	-	24	79	74
TRJ656-03	TRJ656-02	-	67	94	90
TRJ657-03	TRJ657-02	-	27	102	80
TRJ658-03	TRJ658-02	-	27	140	80
TRJ659-03	TRJ659-02	-	48	89	90
TRJ660-03	TRJ660-02	-	48	222	90
TRJ669-03	TRJ669-02	-	27	64	90
TR670-03	TR670-02	-	41	-	-

Screw-On Repair Valves




CTR NO.	REF.LENGTH (mm)	PARTS	
		CORE	CAP
TR1075A	Φ22.5x24/76/86°	9002#	DT
TR1076A	Φ22.5x24/86/86°		
TR1077A	Φ22.5x24/105/86°		
TR1078A	Φ22.5x24/127/86°		
TR1175A	Φ22.5x24/115/86°		
TR1177A	Φ22.5X24/95/86°		
TR1178A	Φ22.5x24/135/86°		
TR1179A	Φ22.5X24/141/86°		

Large Bore Swivel Type Valves



CTR NO.	REF.NO.	A	D	CORE HOUSING	LOCK NUT	CAP
TR218A	V4.01.1	27	63.5/82	TRCH3	LN10 or LN10EQ	VC618
TR220A	V4.01.2	35.5	63.5/82			

Large Bore Swivel Type Valves




CTR NO.	A	B
TRSP1000	Φ70	5.6
	Φ82	
	Φ95	
JSP1	Φ70	8.2
	Φ82	
	Φ96	

CTR NO.	A	REF.NO.
TRSP4000-114	114	TRSP4000
TRSP4000-110	110	V5.141
TRSP4000-80	80	V5.1402

Large Bore Screw-On Valves For Tube



CTR NO.	A	B
V3-08-2	70	7
V3-08-3	80	8
V3-08-4	57	5
V9.05.1	95	7.2



CTR NO.	V	A	W
TRJ1175B	36	108	82°
TRJ1075C	39	105	88°
TRJ1076B	32	83	86°
TRJ1076C	42	73	90°
TRJ1076D	56	59	90°
TRJ1076E	39	76	68°
TRJ1078B	39	118	82°
TRJ1078C	39	124	90°
TRJ1079B	39	133	88°



VS-703R



VS-704R



TRAD4

TPMS Series



TPMS-1



TPMS-2



TPMS-3



TPMS-4



TPMS-5



TPMS-6



TPMS-7



TPMS-8



TPMS-9



TPMS-10



TPMS-11



TPMS-12



TPMS-13



TPMS-14



TPMS-15



TPMS-16



TPMS-17



TPMS-18



TPMS-19



TPMS-20



TPMS-21



TPMS-22



TPMS-23



TPMS-24



TPMS-25



TPMS-26



TPMS-27



TPMS-28



TPMS-29



TPMS-30



TPMS-31



TPMS-32



TPMS-33



TPMS-34



TPMS-35



TPMS-36



TPMS-37



TPMS-38



TPMS-39

TPMS525



MS525AL-Round Base





MS525AL-Flat Base



CTR NO.	REF.NO.	EFF.LENGTH (mm)	RIM HOLE (mm/in.)	PARTS			
				GROMMET	WASHER	NUT	CAP
MS525AL-Round Base	-	Φ18x48	Φ11.5/.453"	RG54	RW15	HN9	ET
MS525AL-Flat Base	-	Φ18x42	Φ11.5/.453"	RG54	RW15	HN9	ET

FE WHEEL WEIGHT

Fe Adhesive Wheel Weight





- * (5g+10g)x4 segments
- * Round angle/ Right angle
- * Zinc plated/Epoxy coated/Black coated for choice
- * Blue tape/3M tape/Norton tape for choice
- * Ordinary tape/ Easy-peel tape
- * LxWxH: 140 x 19 x 3.8mm



- * 5gx12 segments
- * Round angle/ Right angle
- * Zinc plated/Epoxy coated/Black coated for choice
- * Blue tape/3M tape/Norton tape for choice
- * Ordinary tape/ Easy-peel tape
- * LxWxH: 140 x 19 x 3.8mm

FE WHEEL WEIGHT

Fe Adhesive Type OZ Series



- * 1/4 ozx12 segments
- * Round angle/ Right angle
- * Zinc plated/Epoxy coated/Black coated
- * Blue tape/ white tape/3M tape/Norton tape
- * Ordinary tape/ Easy-peel tape
- * LxWxH: 194 x 19 x 3.8mm

- * 1/2ozx8 segments
- * Round angle/ Right angle
- * Zinc plated/Epoxy coated/Black coated
- * Blue tape/ white tape/3M tape/Norton tape
- * Ordinary tape/ Easy-peel tape
- * LxWxH: 140 x 19 x 3.8mm



- * 1ozx6 segments
- * Round angle/ Right angle
- * Zinc plated/Epoxy coated/Black coated
- * Blue tape/ white tape/3M tape/Norton tape
- * Ordinary tape/ Easy-peel tape
- * LxWxH: 208 x 19 x 6.8mm

- * 5g x 1000 or 5g x 1200
- * 3.8mm (thickness)
- * Zinc plated/Epoxy coated/Black coated
- * Blue tape/ white tape/3M tape/Norton tape

FE WHEEL WEIGHT

Fe Clip-on type



CTR-FE-01C

- * Fe clip-on wheel weight for Alloy rims
- * Zinc plated and epoxy coating
- * Sizes in Gram
- * **5g-60g**



CTR-FE-02C

- * Fe clip-on wheel weight for FN series car rims
- * Zinc plated and epoxy coating
- * Sizes in Gram
- * **5g-60g**



CTR-FE-03C

- * Fe clip-on wheel weight for Steel rims
- * Zinc plated and epoxy coating
- * Sizes in Gram
- * **5g-60g**



CTR-FE-04C

- * Fe clip-on wheel weight for Alloy rims
- * Zinc plated and epoxy coating
- * Sizes in Gram
- * **5g-60g**

ZN WHEEL WEIGHT

Zn Adhesive type



- * **(5g+10g)x4 Segments**
- * LxWxH: 150 x 18x3.8mm
- * Blue tape/ white tape/3M tape/Norton tape
- * **5gx12 Segments**
- * LxWxH: 153 x 18 x 3.8mm
- * Blue tape/ white tape/3M tape/Norton tape

Zn Clip-On type



CTR-ZN-01C

- * Zinc universal balance weight for most steel rims
- * plastic coated
- * **Size: 5g - 60g**



CTR-ZN-02C

- * Zinc universal balance weight for most Alloy rims
- * plastic coated
- * **Size: 5g - 60g**



CTR-ZN-03C

- * **The AW series used for American alloy rims**
- * Size in OZ
- * Packaging:
 - 0.25oz - 1oz 100 pcs/box
 - 1.25oz - 2oz 50 pcs/box
 - 2.25oz - 3oz 25 pcs/box




CTR-ZN-04C

- * **The P series used for American steel rims**
- * Size in OZ
- * Packaging:
 - 0.25oz - 1oz 100pcs /box
 - 1.25oz - 2oz 50pcs /box
 - 2.25oz - 3oz 25 pcs /box

PB WHEEL WEIGHT

Pb Adhesive type



- * **(5g+10g)x4 Segments**
- * LxWxH: 105 x 18 x 4mm
- * Blue tape/ white tape/3M tape/Norton tape
- * Ordinary tape/ Easy-peel tape
- * Natural color/Plastic Coated



- * **(5g+10g)x4 Segments**
- * LxWxH: 109 x 15 x 5mm
- * Blue tape/ white tape/3M tape/Norton tape
- * Ordinary tape/ Easy-peel tape
- * Natural color/Plastic Coated



- * **5gx12 Segments**
- * LxWxH: 102 x 18 x 4 mm
- * Blue tape/ white tape/3M tape/Norton tape
- * Ordinary tape/ Easy-peel tape
- * Natural color/Plastic Coated



- * **25gx4 segments**
- * Natural color/Plastic coated
- * Ordinary tape/easy peel tape
- * Blue tape/3M tape/Norton tape for choice
- * LxWxH: 111 x 19 x 7mm

PB WHEEL WEIGHT

Pb Adhesive type



- * **20g x5 segments**
- * Natural color/Plastic coated
- * Ordinary tape/easy peel tape
- * Blue tape/3M tape/Norton tape
- * LxWxH: 160 x 20 x 4MM



- * **50g x 4 segments**
- * Natural color/plastic coated
- * Ordinary tape/easy peel tape
- * Blue tape/3M/Norton tape for choice
- * LxWxH: 100 x 22 x 9MM



- * **1/4oz x12 Segments**
- * LxWxH: 184 x 19.7 x 4.5mm
- * Natural color/plastic coated
- * Ordinary tape/easy peel tape
- * Blue tape/3M/Norton tape for choice



- * **1/2oz x 12 segments**
- * Natural color/plastic coated
- * Ordinary tape/easy peel tape
- * Blue tape/3M/Norton tape for choice
- * LxWxH: 184 x 19.7 x 4.5mm



- * **1oz x 6 segments**
- * Natural color/plastic coated
- * Ordinary tape/easy peel tape
- * Blue tape/3M/Norton tape for choice

PB WHEEL WEIGHT

Pb Clip-On type




CTR-PB-01C

- * Pb Universal balance weight for steel rims
- * Surface: Uncoated or Coated
- * Size in Gram
- * **5g - 60g**



CTR-PB-02C

- * Pb Universal balance weight for Alloy rims
- * Surface: Uncoated or Coated
- * Size in Gram
- * **5g - 60g**



CTR-PB-03C

- * Pb Universal balance weight for Alloy rims
- * Surface: Uncoated or Coated
- * Size in Gram
- * **5g - 60g**



CTR-PB-04C

- * Pb clip-on wheel weight for Truck
- * Surface: Uncoated or Coated
- * Sizes in Gram
- * **50g-500g**

PB WHEEL WEIGHT

Pb Clip-On type



CTR-PB-05C

- * Pb clip-on wheel weight for Truck
- * Surface: Uncoated or Coated
- * Sizes in Gram
- * **50g-500g**



CTR-PB-06C

- * Pb clip-on wheel weight for Truck
- * Surface: Uncoated or Coated
- * Sizes in Gram
- * **50g-500g**



CTR-PB-07C

- * Pb clip-on wheel weight for Truck
- * Surface: Uncoated or Coated
- * Sizes in Gram
- * **50g-500g**



CTR-PB-08C

- * Pb clip-on wheel weight for Truck
- * Surface: Uncoated or Coated
- * Sizes in Gram
- * **50g-500g**

TYRE SEAL STRING


Tyre Seal String



CTR NO.	SPECIFICATION (mm)	PACKING
CTR-TS-01	100x3.5	5pcs/card;6cards/box;120boxes/ctn
CTR-TS-02	100x4	5pcs/card;6cards/box;120boxes/ctn
CTR-TS-03	100x4.5	5pcs/card;6cards/box;120boxes/ctn
CTR-TS-04	100x5	5pcs/card;6cards/box;120boxes/ctn
CTR-TS-05	100x5.5	5pcs/card;6cards/box;120boxes/ctn
CTR-TS-06	100x6	5pcs/card;6cards/box;120boxes/ctn
CTR-TS-07	200x3	5pcs/card;6cards/box; 60boxes/ctn
CTR-TS-08	200x3.5	5pcs/card;6cards/box; 60boxes/ctn
CTR-TS-09	200x4	5pcs/card;6cards/box; 60boxes/ctn
CTR-TS-10	200x4.5	5pcs/card;6cards/box; 60boxes/ctn
CTR-TS-11	200x5	5pcs/card;6cards/box; 60boxes/ctn
CTR-TS-12	200x5.5	5pcs/card;6cards/box; 60boxes/ctn
CTR-TS-13	200x6	5pcs/card;6cards/box; 60boxes/ctn


TYRE PATCH

Euro Type Tyre Patch For Inner Tube



CTR NO.	SPECIFICATION (mm)	PACKING
CTR-TP-01	20*20	40pcs/box;100boxes/ctn
CTR-TP-02	25*25	64pcs/box;100boxes/ctn
CTR-TP-03	30*30	36pcs/box;100boxes/ctn
CTR-TP-04	40*40	25pcs/box;100boxes/ctn
CTR-TP-05	52*52	16pcs/box;100boxes/ctn
CTR-TP-06	65*65	40pcs/box;36boxes/ctn
CTR-TP-07	75*75	40pcs/box;36boxes/ctn
CTR-TP-08	100*100	40pcs/box;24boxes/ctn
CTR-TP-09	34*24	48pcs/box;100boxes/ctn
CTR-TP-10	50*32	24pcs/box;100boxes/ctn
CTR-TP-11	72*40	15pcs/box;100boxes/ctn

Euro Type Tyre Patch For Tubeless Tyre



CTR NO.	SPECIFICATION (mm)	PACKING
CTR-TP-12	30*30	150pcs/box;48box/ctn
CTR-TP-13	40*40	100pcs/box;48box/ctn
CTR-TP-14	52*52	64pcs/box;48boxes/ctn
CTR-TP-15	75*75	36pcs/box;36boxes/ctn

TYRE PATCH

Euro Type Radial Patch




Euro Type Bais Patch



CTR NO.	SPECIFICATION (mm)	PACKING	THREAD PLIES
CTR-RP-01	55*75	20pcs/box;50pcs/ctn	1
CTR-RP-02	65*105	20pcs/box;25pcs/ctn	2
CTR-RP-03	80*125	10pcs/box;30pcs/ctn	2
CTR-RP-04	92*135	10pcs/box;24pcs/ctn	3
CTR-RP-05	92*155	10pcs/box;20pcs/ctn	3
CTR-RP-06	130*190	10pcs/box;9pcs/ctn	4
CTR-RP-07	125*215	10pcs/box;8pcs/ctn	4
CTR-RP-08	140*280	5pcs/box;10pcs/ctn	5
CTR-RP-09	140*340	5pcs/box;8pcs/ctn	5
CTR-RP-10	180*440	5pcs/box;4pcs/ctn	5
CTR-RP-11	180*570	5pcs/box;3pcs/ctn	9
CTR-RP-12	240*600	5pcs/box;3pcs/ctn	9
CTR-BP-01	75*75	20pcs/box;24pcs/ctn	1
CTR-BP-02	105*105	10pcs/box;25pcs/ctn	2
CTR-BP-03	135*135	10pcs/box;18pcs/ctn	2
CTR-BP-04	175*175	10pcs/box;8pcs/ctn	4
CTR-BP-05	215*215	10pcs/box;4pcs/ctn	6
CTR-BP-06	260*260	10pcs/box;4pcs/ctn	8
CTR-BP-07	300*300	5pcs/box;5pcs/ctn	10
CTR-BP-08	350*350	5pcs/box;3pcs/ctn	12
CTR-BP-09	400*400	5pcs/box;3pcs/ctn	12

TYRE PATCH

Mushroom Patch Plug



CTR NO.	SPECIFICATION (mm)	PACKING
CTR-264D	26x4	24pcs/box;36boxes/ctn
CTR-364D	36x4	24pcs/box;36boxes/ctn
CTR-366D	36x6	24pcs/box;36boxes/ctn
CTR-466D	46x6	24pcs/box;36boxes/ctn
CTR-506D	50x6	24pcs/box;27boxes/ctn
CTR-509D	50x9	24pcs/box;27boxes/ctn
CTR-606D	60x6	24pcs/box;27boxes/ctn
CTR-609D	60x9	24pcs/box;27boxes/ctn
CTR-8012D	80x80x12	24pcs/box;27boxes/ctn
CTR-1014D	100x100x14	24pcs/box;27boxes/ctn



TIRE REPAIR TOOLS

Valve Core Tools



PART NO.	DESCRIPTION
CTR-VT-003	2 in 1 Valves Stem Tool
CTR-VT-007	Valve Core Tool Long
CTR-VT-008	Double-head Valve Core Tool For Standard and Large Bore
CTR-VT-009	Double-head Valve Core Tool
CTR-VT-010A	Valve Core Tool Short
CTR-VT-010B	Valve Core Tool Long
CTR-VT-011	Valve Core Tool Short
CTR-VT-014	Valve Core Tool
CTR-VT-015A	Rubber Straight Handle Valve Core Tool
CTR-VT-015B	Valve Core Extractor
CTR-VT-015C	Rubber Straight Handle Valve Core Tool with Cap
CTR-VT-015D	Rubber Straight Handle Valve Core Tool
CTR-VT-020	Aluminum Handle Valve Core Tool
CTR-VT-025	2 in 1 Valve Core Tool with Cilp
CTR-VT-027	Double Head Aluminum Handle Valve Core Tdol
CTR-VT-028	Double Head Valve Core Tool With Magnet
CTR-VT-029A	Aluminum Handle Valve Core Tool with Magnet Long
CTR-VT-029B	Aluminum Handle Valve Core Tool with Magnet Short
CTR-VT-031	Tbrque Valve Core Tdol for TPMS Valve

TIRE REPAIR TOOLS

All-Purpose Valve Tools

PART NO.	DESCRIPTION
CTR-VT-001	4-Way Valve Stem Tool Standard
CTR-VT-001L	4-Way Valve Stem Tool Large
CTR-VT-002	Multi-Use Valve Stem Tool
CTR-VT-004	4-Way Valve Stem Tool Black
CTR-VT-005	4-Way Valve Stem Tool Black
CTR-VT-006	4-Way Valve Stem Tool Black



All-Purpose Valve Tools



PART NO.	DESCRIPTION
CTR-VT-022	Heavy Duty Valve Stem Tdol with Rubber Protector
CTR-VT-023	Heavy Duty Valve Stem Tool with Plastic Protector
CTR-VT-024	Heavy Duty Valve Stem Tdol
CTR-VT-026A	2 in 1 Plastic Handle Valve Stem Tool
CTR-VT-026B	Plastic Handle Valve Stem Tool with Rubber Head
CTR-VT-021	Heavy Duty Valve Stem Tool

TIRE REPAIR TOOLS

Clip-On Wheel Weight Pliers



Adhesive Wheel Weight Tools



Wheel Weight Hammer



PART NO.	DESCRIPTION
EHG-031A	Adhesive wheel weight removal tool Big handle
EHG-031B	Adhesive wheel weight removal tool Small handle
EHG001A	Forge Wheel Weight Pliers Nickel Plating
EHG-001B	Forge Wheel Weight Pliers Black
EHG-001C	Forge Wheel Weight Pliers
EHG-002	Forge Wheel Weight Pliers Nickel Plating
EHG-003	Whell Weight Pliers
EHG-034	Heavy-Duty Wheel Weight Pliers
EHG-001AC	Plastic Cap For Forge Weight Pliers
EHG-003AC	Cap Accessories for EHG-003
EHG-015	Non-Lead Clip-on Truck Wheel weight Hammer
EHG-033	Dead Blow Hammer 240Z(1-1/2LB)

TIRE REPAIR TOOLS

Stitchers



PART NO.	ROLLER DIA(mm)	THICKNESS(mm)
RT-001	38	3/4/6/12/20/30/40/50
RT-002	50	3/4/6/12/20/30/40/50
RT-018	38	42
RT-020	2 in 1 Metal Tire Stitcher 150mm*30mm	

Scrapers



PART NO.	DESCRIPTION
RT-010	Hoe Style Inner Liner Scraper
RT-011	Blade Style Inner Liner Scraper

Skiving Knives



PART NO.	DESCRIPTION
RT-016A	Hoe Style Inner Liner Scraper
RT-016B	Blade Style Inner Liner Scraper
RT-016C	X3N round point flexible blade skiving knife


TIRE REPAIR TOOLS

Tyre Brush



PART NO.	DESCRIBE	HEAD DIA(mm)	HAIR LENGHT(mm)	POLE DIA(mm)	POLE LENGTH(mm)
RT-074A-2	2#	19.5	38	9	160
RT-074A-4	4#	24	38	10	160
RT-074A-6	6#	29.5	38	10.5	160
RT-074A-8	8#	35	38	13	162
RT-074A-10	10#	38	44	16.5	170
RT-074A-12	12#	43	44	17	170
RT-074A-14	14#	48	44	18	180
RT-074A-16	16#	54.5	44	19.5	180
RT-074A-20	20#	65	51	21.5	185
RT-074A-22	22#	69.5	51	21.5	185
RT-045	Large	46	45	28	390
RT-075	Cotton Tire Swab				

Tyre Valve Extension Adaptor



CTR NO.	A(mm)	B(mm)	α°
CTR36-135°	24.5	34	135
CTR36-90°	24.5	34	90
CTR36-45°	24.5	34	45

CTR NO.	A(mm)	B(mm)	α°
CTR36M-135°	25	34	135
CTR36M-90°	25	34	90
CTR36M-45°	25	34	45

TIRE REPAIR TOOLS

Plastic Valve Extension

CTR NO.	REF.NO.	GENERAL LENGTH (mm/In.)(L)	EFF.LENGTH (mm/In.)(LI)
CTR33PT/PT-B	AG2190.051	51	33
CTR53PT/PT-B	AG2190.071	71	53
CTR77PT/PT-B	AG21 90.095	95	77
CTR97PT/PT-B	AG2190.115	115	97
CTR107PT/PT-B	AG2190.125	125	107
CTR132PT/PT-B	AG2190.150	150	132
CTR152PT/PT-B	AG2190.170	170	152
CTR162PT/PT-B	AG2190.180	180	162
CTR169PT/PT-B	-	187	169



Brass Valve Extension

CTR NO.	GENERAL LENGTH (mm/In.)(L)	EFF.LENGTH (mm/In.)(LI)	MATERIAL
CTR30MT	40	30	Brass
CTR50MT	60	50	Brass
CTR66MT	76	66	Brass
CTR76MT	86	76	Brass
CTR90MT	100	90	Brass
CTR100MT	110	100	Brass
CTR115MT	125	115	Brass
CTR130MT	140	130	Brass
CTR140MT	150	140	Brass
CTR152MT	162	152	Brass

CTR NO.	GENERAL LENGTH (mm/In.)(L)	EFF.LENGTH (mm/In.)(LI)	MATERIAL
CTR30ML	56	30	Ni-Plated
CTR50ML	76	50	Ni-Plated
CTR66ML	92	66	Ni-Plated
CTR76ML	102	76	Ni-Plated
CTR90ML	116	90	Ni-Plated
CTR100ML	126	100	Ni-Plated
CTR115ML	141	115	Ni-Plated
CTR130ML	156	130	Ni-Plated
CTR140ML	166	140	Ni-Plated
CTR152ML	178	152	Ni-Plated



TIRE REPAIR TOOLS


Rubber Valve Extension



CTR NO.	DESCRIPTION	LENGTH(mm)	Φ(mm)
CTR75R	Extension	75	12/10
CTR100R		100	12/10
CTR125R		125	12/10
CTR150R		150	12/10
CTR180R		180	12/10
CTR210R		210	12/10
CTR250R		250	12/10
CTR270R		270	12/10
CTR300R		300	12/10
CTR210R-FVE1	Extension	210	12/10
CTR562 9503		230	12
CTR562 9510		320	12
CTR562 9527		360	12
CTR562 9541		555	12

TIRE REPAIR TOOLS


Stainless Steel Valve Extension



CTR NO.	DESCRIPTION	LENGTH(mm)	Φ(mm)
CTR65RM	Extension	65	12/10
CTR125RM		125	12/10
CTR180RM		180	12/10
CTR210RM		210	12/10
CTR250RM-FVE1		180	12/10
CTRMU	EXTENSION WITH U-SHAPE CLIP	210	12/10
CTRFBE		250	12/10

TIRE REPAIR TOOLS

Air Chuck



CTR NO.	LENGTH(mm)	DIA(mm)
AC-001	29.2	7.8
AC-002	34.7	6
AC-018	44	8
AC-020	41	12.5
AC-021	41	8

Tyre Mounting Paste




TIRE REPAIR TOOLS

Tire crayon



PART NO.	DESCRIPTION
RT-006	Tire Crayon Holder
RT-002W	White Color Tire Crayons
RT-002Y	Yellow Color Tire Crayons

Wheel hub protector




PART NO.	DESCRIPTION
RT-035A	Plastic PCD Gauge
RT-041	Tire Mounting Protector

Tyre Inflator Gauges



ACCESSORIES

Valve core




ACCESSORIES

Valve Cap



TIRE REPAIR KIT

Tire Repair Kit



TRK-001

TRK-002

TRK-003

TRK-004



TRK-005

TRK-006

TRK-007

TRK-008



TRK-009

TRK-010

TRK-011

TRK-012



TRK-013

TRK-014

TRK-015

TRK-016